05:00pm

Amendments to Claims:

This listing of claims will replace all prior versions and listings of claims in the instant application:

Listing of Claims:

- 1. (Original) A method of increasing tissue oxygenation in mammals, comprising applying a superoxygenated composition to a tissue surface for a time sufficient to increase the subepithelial partial oxygen pressure from about 30% to about 120% above baseline pO₂.
 - 2. (Original) The method of claim 1 wherein the mammal is a human.
 - 3. (Original) The method of claim 1 wherein the tissue is skin.
- 4. (Original) The method of claim 1 wherein the tissue is affected by a medical condition.
- 5. (Original) The method of claim 4 wherein the medical condition is selected from the group consisting of bedsores, wounds, burns, and ulcers.
- 6. (Original) The method of claim 4 wherein the medical condition is a bacterial infection.
- 7. (Original) The method of claim 6 wherein the bacterial infection is identified as an anaerobic pathogen bacterial infection.

- 8. (Original) The method of claim 1 wherein the superoxygenated composition is applied to a site selected from the group consisting of a mucosal surface and the surface of an organ.
- 9. (Original) The method of claim 8, wherein the organ is one that has been removed from an animal donor.
- 10. (Original) The method of claim 1 wherein the superoxygenated composition comprises from about 45 ppm oxygen to about 220 ppm oxygen.
- 11. (Original) The method of claim 1 wherein the superoxygenated composition is at about 0°C to about 34°C.
- 12. (Original) The method of claim 1 wherein the superoxygenated composition comprises a pharmaceutically acceptable vehicle.
- 13. (Original) The method of claim 1 wherein the superoxygenated composition comprises water and oxygen microbubbles.
- 14. (Original) The method of claim 13 wherein the oxygen microbubbles are between about 2μ and about 10μ in diameter.

Response to Office Action U.S. Serial No. 10/637,205 Page 4 of 8

05:00pm

- 15. (Original) The method of claim 13 wherein the microbubbles are between about 0.6μ and about 5μ in diameter.
- 16. (Original) The method of claim 13 wherein the superoxygenated composition is applied under agitation.
- 17. (Original) The method of claim 16 wherein the agitation is provided in a whirlpool bath.
- 18. (Original) The method of claim 1 wherein the composition is applied in a cream, lotion or gel.
- 19. (Original) The method of claim 1 wherein the composition is applied by soaking, immersion, spraying, rubbing or aerosols.